



TICKETING DISPENSING MACHINE

Model: VM-180



Description

An innovative, reliable, & sophisticated design of the Ticketing Dispensing Machine is designed for multi-purposed usage in the field of magnetic ticket or smart card.

Recognition of multiple banknotes & 7 different kinds of coins as well as the integration of Smart Card type in an On-Off line operation. The cash vault has a full load capacity of 1500 notes & coin box of 2000 coins. It serves in different treatment options & programmable tariffs. A recognition of backout ticket. Process message for diagnostics, statistic, & settlement.

- Common national denominations.
- Money refund facility through mono-block inlet & slot.
- Fast banknotes processing speed given the low risk of jamming.
- Simplifies interfacing & integration into management information system.
- Capability for remote monitoring.
- Spacious design storage of cards & ticket.

Casing

A self-contained stainless steel, weatherproof construction.

Color: Blue with Aluminum. Door safeguard against breaking including safety lock & alarm contact.

Weight: approx. 240Kg.

Floor mount type size: 1800(H) x 750(W) x 600(D) mm.

Wall mount type size: 1500(H) x 750(W) x 600(D) mm.

Banknotes & Coin handing

Electronic banknotes & coin checker for self-replenishing, lockable change stores for different types of banknotes & coins with a capacity of up to approx: 1500 banknotes & 2000 coins respectively.

Self-locking coin cassette with safety lock.

Connections

Main supply 220V / 50Hz connected load approx. 400VA.

Dialogue interface V11/PS (Physic. RS-485/two-wires) to the CPU.

Mounting

Pedestal mounting according to site conditions.

Extras

Alert signal for low storage of currency & tickets (cards).

Designed signal & trip line connection for special demands.

Operator guidance

Information field with operating instructions symbolic reference signs.

Alphanumeric, even in bright sunlight clearly visible back-lightened through LCD display monitor.

Display field notice "Out of Service" cancel button, & intercom with call button.



Monitoring & control unit.

Incorporated process computer in the unit for local, self-sufficient control, monitoring & processing of all operations in the unit. Power failure logic & battery-buffered data store battery buffer clock with automatic switching.

Ticket reading / Encoding unit


Processing of varies types for the issue of receipt tickets / cards & service verifications out of the ticket store, consisting of: reading / encoding unit for magnetic stripe ticket.

Ticket storage: 4 types of ticket storage cartridge / slot.

Thickness: 0.33mm (Max. 1000 pcs.)

0.76mm (Max. 500 pcs.)

Free programmable storage limit.

**Banknote Validator****Changegivers****Creditor**